

**TNPSC CTSE - 2025**  
**DIPLOMA LEVEL**  
**INDUSTRIAL ROBOTICS AND**  
**DIGITAL MANUFACTURING**  
**TECHNICIAN**

**POST CODE: 3629**

**SUBJECT CODE: 538**



81908 79379

# TEACH PENDANT

- The teach pendant is a handheld device used to program, control, and monitor industrial robots.
- It allows operators to manually "teach" positions and motions to the robot and execute or debug programs safely.
- The teach pendant for an industrial robot allows an operator to manually control the robot's movements and program its actions through a teach-and-repeat method.
- The front typically houses controls like a joystick or keypad for navigation, along with a display screen showing robot commands and menus.
- The back often includes an emergency stop button and a "dead man's switch" for safety.



81908 79379

# TEACH PENDANT

## Front Side of the Teach Pendant (Operator Interface Side)

- The front panel is the primary user interface, containing screens, buttons, and controls.

### 1. Display Screen (Touch or Non-Touch)

- Function: Shows robot status, coordinates, program code, alarms, and menus.
- May be touch-enabled or navigated using arrow keys.

### 2. Navigation Keys / Cursor Keys

- Function: Used to move through menus, select options, or edit lines of code.



81908 79379

# TEACH PENDANT

## Front Side of the Teach Pendant (Operator Interface Side)

### ✓ 3. Jog Keys or Joystick

- **Function:** Move robot joints or tool manually (one axis at a time).
- **Modes:** Joint, Cartesian (X, Y, Z), Tool, or World.

### ✓ 4. Soft Keys / Function Keys

- Located below the screen or on the sides.
- **Function:** Context-sensitive functions (like Save, Run, Back, etc.).

### ✓ 5. Emergency Stop Button (E-Stop)

- **Function:** Immediately stops all robot motion and disables servos.
- Safety-critical; large and usually red/yellow in color.

### Robot Teaching Pendant



81908 79379

# TEACH PENDANT

## Front Side of the Teach Pendant (Operator Interface Side)

### ✓ 6. Enable/Deadman Switch

- A safety switch (held by the operator) that must be pressed to allow motion.
- If released, all motion stops immediately.

### ✓ 7. Mode Selector Switch

- **Function:** Switches between:
  - Teach Mode (manual programming)
  - Play/Auto Mode (automatic execution)
  - Test Mode (debugging)

### ✓ 8. Control Buttons

- Start, Stop, Reset, Hold, and Step
- Used to run or step through robot programs.



81908 79379

# TEACH PENDANT

## Back Side of the Teach Pendant

### ✓ 1. Deadman Switch (Alternative Location)



- Some models have the deadman switch as a **trigger-style grip** on the back.
- Must be held in the middle position to enable motion.

### ✓ 2. Belt Clip or Strap Hook

- **Function:** Allows the pendant to be hung or secured to the operator's belt or station.

### ✓ 3. Ventilation Slots

- **Function:** Passive cooling of internal electronics.



81908 79379

# TEACH PENDANT

## Back Side of the Teach Pendant

### ✓ 4. Battery Compartment (If Wireless)


- Houses the rechargeable battery in wireless or Wi-Fi-enabled teach pendants.

### ✓ 5. Mounting Slot or Rubber Grips

- **Function:** Improves grip or allows wall/hanger mounting when not in use.

### ✓ 6. Communication Port / Cable Connector

- May route through the back of the pendant.
- **Function:** Connects to the robot controller (for data and power).



# TOOL COORDINATE SYSTEM

- The Tool Coordinate System (TCS) is a key concept in industrial robotics, used to define the position and orientation of the tool (e.g., gripper, welder, drill) attached to the robot's end-effector.
- It plays a crucial role in path planning, precision control, and programming.
- The Tool Coordinate System is a local coordinate frame attached to the robot's tool center point (TCP).
- It moves with the tool and defines the X, Y, Z directions relative to the tool itself, not the robot base.




81908 79379

# TOOL COORDINATE SYSTEM

## Axes of the Tool Coordinate System

- **Z-axis:** Typically points outward from the tool, in the direction the tool is working (e.g., a drill points in Z+).
- **X-axis:** Often points to the right when viewed from behind the tool.
- **Y-axis:** Completes the right-handed coordinate system.



81908 79379

# TOOL COORDINATE SYSTEM

## Why Use the Tool Coordinate System?

### 1. Accurate Tool Control:


- Movements like “move forward” (Z+) occur relative to the tool tip.
- Especially important for welding seams, polishing, deburring, etc.

### 2. Simplified Programming:

- When teaching paths, it's easier to describe motion relative to the tool rather than the robot's global base.

### 3. Consistent Motion Across Workpieces:

- Tool paths remain valid even if the workpiece is repositioned.



# TOOL COORDINATE SYSTEM

Feature	Tool Coordinate System (TCS)	Base Coordinate System (BCS)
Origin	Tool Center Point (TCP)	Robot base or workcell origin
Moves with robot?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
Used for?	Tool programming & control	Positioning of objects, fixtures
Example Use	Welding direction	Moving to part loading station



81908 79379

# TOOL COORDINATE SYSTEM

## Setting the Tool Coordinate System (Calibration)

### 1. 4-Point Method / 6-Point Method:

- Touch the same point in space from different angles.
- The controller calculates the TCS from these inputs.

### 2. Manual Entry:

- Enter TCP offset and tool angles manually (based on CAD or measurement).


### 3. Laser or Calibration Jig:

- For high precision tasks, tools like laser pointers or calibration fixtures are used.



# USER INTERFACE

- The User Interface (UI) of a Teach Pendant in industrial robotics is designed to provide intuitive and precise control of a robot.
- It allows operators to teach positions, program actions, control movement, and monitor robot status—all from a portable handheld device.



81908 79379

# USER INTERFACE

## Main Components of the Teach Pendant UI

### 1. Display Screen (Touchscreen or Non-Touch)

- **Function:** Shows menus, program code, robot status, error messages, positions, IO signals.
- **UI Elements:**
  - **Main Menu:** Access programming, configuration, alarms.
  - **Status Bar:** Displays current mode, tool, coordinates, speed override.
  - **Program Editor:** View/write robot programs in structured text or block format.
  - **Position Window:** Shows Cartesian, joint, or tool coordinates.



# USER INTERFACE

## Main Components of the Teach Pendant UI

### 2. Soft Keys (Function Keys)

- Located below or beside the screen; their function changes based on screen context.
- Examples: Edit, Save, Run, Next, Back, Tool, Coordinate System.

### 3. Navigation & Cursor Keys

- Used to scroll through menu items or move within program lines when touchscreen is unavailable.




# USER INTERFACE

## Main Components of the Teach Pendant UI

### 4. Jogging Interface

- UI to jog the robot using:
  - Joint mode
  - World (base) mode
  - Tool mode
  - User frame mode
- May include toggles for step vs continuous motion.



# USER INTERFACE


## Main Components of the Teach Pendant UI

### 5. Programming Interface

- Modes:
  - Point-to-point motion
  - Linear motion
  - Circular motion
- Instruction Types:
  - Movement commands ( `MoveJ` , `MoveL` )
  - IO commands ( `SetOutput` , `WaitInput` )
  - Logic ( `IF` , `WHILE` , `GOTO` )
- Pop-up menus for instruction selection and modification.

### 6. Alarm/Message Log

- Displays system errors, warnings, or status updates.
- Includes error codes, descriptions, and troubleshooting hints.



# USER INTERFACE

## Main Components of the Teach Pendant UI

### Safety and Control Interface

#### 7. Emergency Stop Status

- Status indicated on screen; robot disables all motion when triggered.


#### 8. Teach/Auto Mode Indicator

- Clearly shows if robot is in manual or automatic mode.




81908 79379

# USER INTERFACE



81908 79379

# TOUCH PENDANT FUNCTION KEYS

Function Key		Purpose
HOME		Returns to main menu or home screen.
EDIT		Opens the program for editing instructions.
SAVE / LOAD		Save current program or load existing ones.
RUN / START / PLAY		Starts executing the selected robot program.
STOP / HALT / PAUSE		Pauses or stops execution.



81908 79379

# TOUCH PENDANT FUNCTION KEYS

Function Key		Purpose
BACK		Returns to the previous screen or menu.
TOOL / UFRAME		Sets tool coordinate system or user frame.
JOG / MOVE		Activates manual jogging mode.
COORD / MODE		Toggles between coordinate systems (Joint, World, Tool, etc.)



81908 79379

# TOUCH PENDANT FUNCTION KEYS

Function Key	Purpose
I/O	Displays input/output status and configuration.
HELP / INFO	Provides context help or robot diagnostics.
ALARM / MESSAGES	Shows current alarms, warnings, or messages.



81908 79379

# TOUCH PENDANT FUNCTION KEYS

## Types of Modes

Mode	Description
Teach Mode	Operator uses the pendant to manually move and program the robot.
Auto Mode	Robot runs programs automatically (often from PLC or external interface).
Manual Mode	Similar to Teach but with restricted motion (usually for testing).
Test Mode	Allows dry runs without actual motion, often used for debugging programs.
Playback Mode	Repeats previously taught motions in a loop (used for inspection or simple repeat jobs).



81908 79379

# TOUCH PENDANT FUNCTION KEYS

## Types of Motion

Motion Type	Definition	
Joint Motion (MoveJ)	Robot moves each joint independently to reach the target. Fast but less precise for path.	
Linear Motion (MoveL)	Robot TCP moves in a straight line from one point to another. Critical for welding, sealing, etc.	
Circular Motion (MoveC)	Moves the TCP in an arc or circular path between two points using a midpoint.	
Spline Motion (MoveS)	Smooth multi-point motion for complex paths.	
Joint Interpolation	Calculates trajectory based on joint angles.	
Linear Interpolation	Calculates trajectory in Cartesian space (X, Y, Z).	



81908 79379

# MCQs

What is the purpose of a teach pendant in a robotic cell?  
रोबोटिक सेल में टीच पेंडेंट का उद्देश्य क्या है?


A1  
: To control the robot  
: रोबोट को कंट्रोल करना

A2  
: To program the robot  
: रोबोट को प्रोग्राम करना

A3  
: To power the robot  
: रोबोट को पावर प्रदान करना

A4  
: To communicate with other machines in the cell  
: सेल में अन्य मशीनों के साथ कम्युनिकेट करना

Identify the button.  
बटन को पहचानें?



A1  
: Start button

: स्टार्ट बटन

A2  
: Hold button

: होल्ड बटन

A3  
: E-stop button

: E-स्टॉप बटन

A4  
: Shift button

: शिफ्ट बटन

Full form of TCP is \_\_\_\_\_  
TCP का फुल फॉर्म \_\_\_\_\_ है

A1  
: Tool File Setting

: टूल फाइल सेटिंग

A2  
: Tool Center Point

: टूल सेंटर पॉइंट

A3  
: Tool Center Pin

: टूल सेंटर पिन

A4  
: Tool Center Place

: टूल सेंटर प्लेस



81908 79379

# MCQs

Which keys are used to jog the robot?

रोबोट को जॉग करने के लिए किस कुंजी का उपयोग किया जाता है?

A1 : Page key

पेज की

A2 : Shift key

शिफ्ट की

A3 : Motion key

मोशन की

A4 : Jogging coordination key

जॉगिंग कोआर्डिनेशन की

To change the coordination which key is used?

कोआर्डिनेशन बदलने के लिए किस कुंजी का उपयोग किया जाता है?

A1 : INTERLOCK

INTERLOCK

A2 : COORD

COORD

A3 : FWD

FWD

A4 : BWD

BWD




81908 79379

Sparks Academy

# MCQs

Name the teach pendent keys.

टीच पेंडेंट कुंजी का नाम बताइए।



How many areas are there in the teaching pendant display?

टीचिंग पेंडेंट डिस्प्ले में कितने एरिया होते हैं?

A1  
: 2

A2  
: 3

A3  
: 4

A4  
: 5

5

A1 Numerical function keys

: न्यूमेरिकल फंक्शन की

A2 Cursor keys

: कर्सर की

A3 Jogging coordinate Keys

: जॉगिंग कोआर्डिनेट की

A4 Display keys



81908 79379



81908 79379